MYSORE GEOLOGICAL DEPARTMENT, BANGALORE.

Abstract Notification dated 18th February 1937.

The attention of the public is invited to the Notification in pages 196-197, Part VI of the *Mysore Gazette*, dated 11th February 1937, inviting tenders for the purchase of Corundum stacked in the Kortagere Taluk, Tumkur District.

The last date fixed for the receipt of tenders at this office is 1st March 1937.

B. RAMA RAO,
Director.

OFFICE OF THE CHIEF COMMANDANT, MYSORE STATE TROOPS, BANGALORE.

Abstract Notification dated 9—11th February 1937.

The attention of such of the discharged men of the 1st Battalion M. I. as to whom it may concern is invited to this Office Notification, dated 1st February 1937 published on page 164, Part VI of the *Mysore Gazette*, dated 4th February 1937, regarding the claim to be made for the clothing allowance amount lying undisbursed in the Unit Office.

S. ABDUL KHALAK,
For *Chief Commandant.*

DEPARTMENT OF HORTICULTURE, LAL-BAGH, BANGALORE.

Abstract Notification dated 16th February 1937.

The attention of the public is invited to the Notification published in page 195 of Part VI of the *Mysore Gazette*, dated 11th February 1937, regarding the Importation of Fruit plants from Australia. Those who desire to order for plants are requested to apply to the undersigned before the end of March 1937.

M. NARAYANA REDDY,
Offg. *Superintendent,*
Government Gardens.

OFFICE OF THE SUPERINTENDENT, GOVERNMENT PRINTING IN MYSORE, BANGALORE.

Abstract Notice dated 12th February 1937.

The attention of the public is invited to the detailed notification, dated the 12th February 1937, published on pages 228-229, Part VI of the *Mysore Gazette*, dated the 18th February 1937, regarding the sale of unserviceable articles at the Government Central Press, Bangalore, on Friday the 5th March 1937.

B. SRINIVASA IYENGAR,
Superintendent.

MYSORE RAILWAYS.

Notification dated 18th February 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Senior Executive Engineer, Mysore Railways, Mysore, on any working day up to 3 P.M., till Monday the 15th March 1937, for constructing a Building for installing Vacuum Testing Plant and constructing an examining pit in the Central Workshops area at Mysore.

2. The quantities given in the schedule are only approximate and are liable to alterations, omissions, deductions, or additions, at the discretion of the Executive Engineer, or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

3. The work should be completed within the 15th June 1937.

4. Detailed estimates, plans, specifications, conditions of works and conditions of Schedule Agreement may be seen at the Senior Executive Engineer's Office, Mysore Railways, Mysore, on all working days between 2-30 P.M. and 4-30 P.M. When in doubt, the tenderers should always ask for particulars and details.

5. Tenders should be submitted on printed forms, which should be obtained in ample time from the Senior Executive Engineer's Office on production of a receipt for payment of rupee One to the Auditor, Mysore Railways, Mysore.

6. Every tender must be accompanied by an earnest money of Rs. 200 which should be paid to the Auditor, Mysore Railways, Mysore, and the receipt thereof enclosed along with the tender and should be superscribed "Tender for constructing a building for installing the Vacuum Testing Plant and constructing an Examining Pit in the Central Workshops area at Mysore" in default of which the tenders will be rejected. Tenderers who have not done work previously in this Department, should produce certificates from authorities regarding their capacity for work and execution. Tenders not submitted on printed forms will be rejected.

7. The earnest money of the rejected tenders will be returned as early as possible after the tenders are disposed of, and in the case of the accepted tender, it will be held as a part-security deposit under Clause 4 of the Schedule Agreement referred to in para 10.

8. The final acceptance of any tender will rest with the Superintendent, Way and Works, Mysore Railways, Mysore, who does not bind himself to accept the lowest or any tender or to assign any reason whatsoever for the rejection of any tender or any portion of a tender.

9. The name of the contractor whose tender has been accepted, will be posted on the Notice Board in the Senior Executive Engineer's Office. No enquiries regarding the acceptance or rejection of a tender will be answered.

10. Within eight days of the acceptance of the tender, the successful tenderer is required to executive the usual Schedule Agreement, in default of which his tender will be considered as cancelled and the earnest money forfeited to Government.

11. Quotations must be given in words as well as figures and they must be in specific terms of unit shown against each item of work. Any quotations quoted at so much per cent less or more than the estimated rates will not be accepted.

12. There should be no corrections or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. Rates once tendered cannot be enhanced on any account. Rates for non-tendered and non-estimated items shall be as per minimum schedule of rates of the Railway Department and for items not provided for in the schedule of rates the rates will be fixed by the Executive Engineer after working out data with ten per cent for contractor's profit.

14. The whole of the work specified in the agreement should be completed as specified in para 3. Failing which or failing to carry out any of the conditions in the agreement, the whole of the money held in deposit or so much of it as the Agent, Mysore Railways, considers proper will, without prejudice to any other legal or equitable right or remedy which the Agent may have be absolutely forfeited to the Agent, Mysore Railways, Mysore.

15. Should any dispute arise in the interpretation of the clauses of the tender or in respect of any item of work or specification, the decision of the Superintendent, Way and Works, Mysore Railways, Mysore, shall be final.

16. The accepted tenderer must make his own arrangements in advance for payment of Royalties, etc., in case he quarries stone, earth, kunkar, sand, etc., from Railway, Government or Forest land for use on this work, as this Department will not concern itself regarding the payment, recovery, etc.

17. No claims for damages, for delays caused by Officers of the Department in the execution of the work will be considered, whatever may be the reason for such delays. Contractors should bear this in mind when tendering for work. Extension of time due to delays caused by the departmental officers will however be considered on the merits of each case.

18. The contract shall not be sublet.

19. Works should be executed in general as per Marryat's Specifications.

20. Contractors should make their own arrangements for the supply of water.

21. It should be noted that the quantities noted in the Schedule for doors, windows and ventilators are inside clear dimensions only.

Schedule.

Sl No.	Details of work	Unit	Quantity
1	Earthwork, excavating for foundations in all soils including hard rock, if any, conveying the spoil to places shown by the Department up to a maximum lead of 2,500 feet and spreading it evenly as per levels fixed by the Department.	1,000 C.ft.	13,500 C.ft.

Sl. No.	Details of work	Unit	Quantity
2	Earthwork, excavating for laying pipe line, in all soils including hard rock, if any, including refilling, watering and consolidating charges, conveying the surplus spoil to places shown by the Department up to a maximum lead of 2,500 feet and spreading it evenly as per levels fixed by the Department	1,000 C.ft.	3,000 C.ft.
3	Concrete broken stone in sand mortar	100 „	3,800 „
4	Coursed rubble masonry in sand mortar, first class including bond stones, dressing corner stones of walls, pilasters, jamb of doors, windows, ventilators, etc., double scaffolding charges, etc., complete	100 „	1,900 „
	N.B.—No holes are to be left in masonry for scaffolding.		
5	Do for constructing examining pits	100 „	3,000 „
6	Supplying and fixing in sand mortar burnt stone slabs 6″ thick roughly dressed	S.ft.	112 S.ft.
7	Do two lines dressed on top and faces and edges rounded off	S.ft.	9 S.ft.
8	Do 4″ thick do	„	14 „
9	Cutting holes in burnt stone slabs for fixing doors	No.	2
10	Cement concrete bed cornice, bearing coping slabs, etc., including necessary wooden frame work for laying concrete, hoisting and fixing of rag bolts, half-an-inch thick cement plastering of all exposed portions. The stone jelly should be screened through a specially made screen of ¾″ meshes	100 C.ft.	500 C.ft.
11	Cutting, conveying, hoisting and fixing in position 24 lbs. rails including two coats of Silicate painting	R.ft.	63 R.ft.
12	Teakwood wrought and put up including two coats of wood oiling	C.ft.	56 C.ft.
13	Roofing with pucca terrace	100 S.ft.	425 S.ft.
14	Chunam pointing	100 „	2,500 „
15	Cement pointing	100 „	1,400 „
16	Teakwood panelled doors, as per specifications including brass hasps and staples, brass handles, wooden stoppers, etc., complete, including three coats of Silicate painting	S.ft.	28 S.ft.
17	Teakwood windows with 1″ diameter iron bars and glazed shutters including Parliamentary hinges, brass handles, etc., complete including three coats of Silicate painting	„	108 „
18	Teakwood glazed ventilators with one inch diameter iron bars as per sample including three coats of Silicate painting	„	60 „
19	Filling in with sand including consolidating charges	100 C.ft.	375 C.ft.
20	Flooring with 4″ thick burnt stone slabs two lines dressed over 6″ thick concrete (broken stone in sand mortar) bed, including cement pointing. The size and fixing of the slabs are to be as per approved plan	100 S.ft.	360 S.ft.
21	Flooring with 6″ thick concrete (broken stone in cement mortar) and ½″ cement plastering including forming drains	100 „	750 „
22	Supplying and fixing Cast Iron 3″ diameter down water pipes including drilling holes in masonry and fixing of 12″×6″×1″ teakwood planks at the joints, two coats of Silicate painting, etc., complete	R.ft.	29 R.ft.
23	Laying, jointing with cement and fixing in position Cast Iron pipes 12″ in diameter including unloading charges from wagons	Cwt.	140 cwts.
	N.B.—Cement, paint, linseed oil and Cast Iron drainage pipes required for the work will be supplied by the Department.		

R. N. MIRZA,
Senior Executive Engineer.

6 D

OFFICE OF THE CHIEF STORE-KEEPER, MYSORE RAILWAYS, MYSORE.

Abstract Notification.

The attention of the public is invited to Auction Sale Notice, dated 5th February 1937, published on pages 233-245, Part VI of the *Mysore Gazette*, dated 18th February 1937, regarding the sale of surplus and unserviceable stores.

A. SADASIVAN,
Chief-Store-keeper.

GOVERNMENT EXPERIMENTAL FARM, MARTHUR.

Abstract Notification dated 10th February 1937.

Attention of the public is drawn to Notification, printed in page 232, Part VI of the *Mysore Gazette*, dated 18th February 1937, calling for tenders for the sale of Jaggery on the Marthur Farm.

K. N. KRISHNA PRASAD,
Farm Manager.

OFFICE OF THE MANAGER, GOVERNMENT EXPERIMENTAL FARM, HIRIYUR.

Abstract Notification dated 8th February 1937.

The attention of the public is invited to the detailed Notification, dated 8th February 1937, calling for tenders for the purchase of Jaggery and Country Sugar, manufactured on the Government Experimental Farm, Hiriyur, published on pages 231-232, Part VI of the *Mysore Gazette*, dated 18th February 1937.

The date fixed for the receipt of tenders is 8th March 1937.

T. KRISHNASWAMY,
Manager.

PRIVATE ADVERTISEMENTS

IN THE COURT OF THE SUBORDINATE JUDGE AT BANGALORE.

Insolvency Application No. 101 *of* 1936-37.

Venkatappa *alias* Thayappa, son of Chickkavenkatappa, Cultivator, Yamalur, Vartur Hobli, Bangalore Taluk .. .. *Petitioner.*

vs.

(1) Venkatasamappa, Land-owner and Contractor, Domlur, C. & M. Station, Bangalore, (2) M. Venkataswamy, Contractor, G. No. 5 Street, Jougupalyam, Ulsoor, C. & M. Station, Bangalore .. .. .. *Opponents.*

Whereas Venkatappa *alias* Thayappa has applied to this Court by a petition, dated 23rd day of November 1936, to be declared an insolvent under the Mysore Insolvency Regulation VI of 1911, and your names appear in the list of creditors filed by the aforesaid debtor, this is to give you notice that the Court has fixed the 5th day of March 1937, for the hearing of the aforesaid petition and the examination of the debtor. If you desire to be represented in the matter you should attend in person or by duly instructed pleader.

B. RAMANNA,
Principal Subordinate Judge.

IN THE COURT OF THE MUNSIFF AT KOLAR GOLD FIELDS.

Miscellaneous Application No. 134 *of* 1936-37.

Seethabayi, daughter of Hanumantha Rao, Sarvareddyhalli, Kyasamballi Hobli, Bowringpet Taluk .. .. *Petitioner.*

vs.

(1) B. Krishna Moorthi, son of B. Gundu Rao, Land Holder, Madapur, Tyakal Hobli, Malur Taluk, (2) Nagubayi, daughter of Raghavendra Rao, residing with the 1st opponent .. .. *Opponents.*

In the matter of the estate of B. Gundu Rao .. .. *Deceased.*

Whereas Seethabayi, daughter of Hanumantha Rao, applicant, resident of Sarvareddyhalli, Kyasamballi Hobli, Bowringpet Taluk, claiming to be the wife of the said B. Gundu Rao, deceased, has applied to this Court for a certificate under Regulation VII of 1901, to collect